

Bosch Tankless Gas Water Heaters

The Benefits of Going Tankless

Most North American consumers currently use storage tank water heaters to provide domestic hot water, using energy to keep water hot 24 hours a day, even while away from home or sleeping. However, a tankless water heater heats water only when it's needed, making it significantly more energy efficient than storage tank models.

All models featured below are CSA approved and available in LP-Gas or Natural Gas.



Bosch Therm 4000
Piezo Ignition

Piezo Ignition Units

Bosch Therm 4000 - 330PN Series - Small gas tankless water heater ideal for cottages, camps, and other specific applications where a small volume of hot water is desired. Compact size saves valuable floor space.

Electric Ignition Unit

Bosch Therm Condensing - C950, C1050 and C1210 Series - New model offers a flow rate of up to 12.1 gpm, 98% efficiency, and the most advanced features in tankless technology. It is designed to cascade for increased flow rates and will accommodate recirculating applications as well.



Bosch Condensing
Electronic Ignition

K1

Part Number	Description	Ignition	Max BTU/hr Input	Capacity @ 35° Rise	Thermal Efficiency
330PNLP	Tankless Water Heater, LP-Gas	Piezo Push-Button	75,000	3.3 gpm	78%
330PNNG	Tankless Water Heater, Natural Gas				
C950ESLP	Tankless Water Heater, LP-Gas	Electronic	175,000	9.2 gpm	93%
C950ESNG	Tankless Water Heater, Natural Gas				
C1050ESLP	Tankless Water Heater, LP-Gas		199,000	10.5 gpm	92%
C1050ESNG	Tankless Water Heater, Natural Gas				
C1210ESLP	Tankless Water Heater, LP-Gas	225,000	12.1 gpm	98%	
C1210ESNG	Tankless Water Heater, Natural Gas				

Bosch Tankless Water Heater Accessories

Part no.	Description	Features
7709003962	Intelligent Cascading Kit	C950ES, C1050ES and C1210ES models
AQ4	Power Vent Kit	330PN, 520PN & 520HN models
196016	Concentric Termination Kit	C950ES, C1050ES and C1210ES models



7709003962



AQ4



196016

Paloma Tankless Gas Water Heaters

Paloma tankless hot water heater supplies all the hot water you need. On demand. Instantaneously. Only when you need it. Wall-mounted, space saving design. Models for any application, large or small.



PHH-32 Condensing Series Tankless Water Heaters

Features: • Continuous hot water on demand • Energy-saving design • Energy efficiency - 40% more efficient than tank-type water heaters • Compact, space-saving design • Self-diagnostic program • UMC-117 Main Digital remote control • Remote control displays adjustable temperature settings • Exclusive film wrap overheat limiter • May be installed as part of a circulating water system • Built-in electric blower on all models • Double the performance with DUOnex™ 2-to-20 unit systems with MIC-185 Controller • Extensive diagnostics and error display • High Altitude DIP Switch Adjustment

Residential Warranty: 12-Year Limited Warranty on Heat Exchanger. 5-Year Limited Warranty on Parts.



PHH-32 Series Outdoor



PHH-32 Series Direct Vent

Part no.	Description	Fuel	BTU Input Range	Maximum Hot Water Output	Efficiency Rating	DOE Energy Factor
PHH-32ROFN	Condensing Tankless Water Heater, Outdoor	Natural Gas	11,000 - 199,900	9.5 GPM	93%	0.94
PHH-32ROFP		LP-Gas				
PHH-32RDVN	Condensing Tankless Water Heater, Direct Vent	Natural Gas				
PHH-32RDVP		LP-Gas				

K2

PH2 Series Tankless Water Heaters

Features: • Continuous hot water on demand • Energy-saving design • Energy efficiency - 30% more efficient than tank-type water heaters • Compact, space-saving design • Self-diagnostic program • UMC-117 Main Digital remote control • Remote control displays adjustable temperature settings • Exclusive film wrap overheat limiter • May be installed as part of a circulating water system • Built-in electric blower on all models • Double the performance with DUOnex™ 2- to 20 unit systems with MIC-185 Controller • Extensive diagnostics and error display • High Altitude DIP Switch Adjustment

Residential Warranty: 12-Year Limited Warranty on Heat Exchanger. 5-Year Limited Warranty on Parts.




PH2 Series Outdoor



PH2 Series Direct Vent

Part no.	Description	Fuel	BTU Input Range	Maximum Hot Water Output	Efficiency Rating	DOE Energy Factor
PH2-20ROFN	6.4 Series Tankless Water Heater, Outdoor	Natural Gas	11,000 - 150,000	6.4 GPM		
PH2-20ROFP		LP-Gas				
PH2-20RDVSN	6.4 Series Tankless Water Heater, Direct Vent	Natural Gas				
PH2-20RDVSP		LP-Gas				
PH2-25ROFN	8.4 Series Tankless Water Heater, Outdoor	Natural Gas	11,000 - 180,000	8.4 GPM	84%	0.82
PH2-25ROFP		LP-Gas				
PH2-25RDVSN	8.4 Series Tankless Water Heater, Direct Vent	Natural Gas				
PH2-25RDVSP		LP-Gas				
PH2-28ROFN	9.5 Series Tankless Water Heater, Outdoor	Natural Gas	11,000 - 199,000	9.5 GPM		
PH2-28ROFP		LP-Gas				
PH2-28RDVLN	9.5 Series Tankless Water Heater, Direct Vent	Natural Gas				
PH2-28RDVSP		LP-Gas				

Selkirk Metalbestos



Aluminum/Galvanized Steel Double Wall Venting with Lock Tab
 "Lock Tab" feature eliminates the need to use sheet metal screws to secure pipe connections in areas where local codes require it. Double wall construction provides permanent insulation and keeps the inner pipe hot and the outer pipe relatively cool. Outer pipe is strong, durable galvanized steel and inner pipe is aluminum. Each end is die formed to assure uniform size and easy joint connection. Fully tested & UL listed. Limited quantities available. Call for details.

3" through 5" Aluminum/Galvanized Steel Double Wall Venting - Round

Part no. / Carton qty.						Description
RV Round 3"		RV Round 4"		RV Round 5"		
103060	6	104060	6	105060	4	Pipe-5'
103048	6	104048	6	105048	4	Pipe-4'
103036	6	104036	6	105036	6	Pipe-3'
103024	6	104024	6	105024	6	Pipe-2'
103018	6	104018	6	105018	6	Pipe-18"
103012	6	104012	6	105012	6	Pipe-12"
103006	6	104006	6	105006	6	Pipe-6"
103082	6	104082	6	105082	6	Pipe-12", adjustable
103230	6	104230	6	105230	6	90° elbow, adjustable
103222	6	104222	6	105222	6	Elbow, adjustable. 3" - 6" are 45° /60° . 7" & 8" are 45°.
103100	6	104100	6	105100	6	Tee
103180	6	104180	6	105180	6	Tee cap
103800	6	104800	6	105800	6	Top, Bird-proof
103802	6	104802	6	105802	6	Top, High wind
103810	6	104810	6	105810	6	Storm collar
103240	6	104240	6	1056240	6	Draft hood connector

Part no. / Carton qty.						Description
RV Round 3"		RV Round 4"		RV Round 5"		
187703	6	187704	6	187705	6	Wall thimble - Adjusts from 4 1/8" to 7" thickness
103825	6	104825	6	105825	6	Adjustable roof flashing - Adjustable to 6/12 pitch
103815	6	104815	6	105815	6	Tall cone, flat roof flashing
103820	6	104820	6	105820	6	Tall cone, adj. roof flashing
103304	6					Increaser 3" x 4"
103305	6					Increaser 3" x 5"
		104305	6			Increaser 4" x 5"
		104306	6			Increaser 4" x 6"
				105306	6	Increaser 5" x 6"
				105307	4	Increaser 5" x 7"
						Increaser 6" x 7"
						Increaser 6" x 8"
						Increaser 7" x 8"
		104363	6			Reducer 4" x 3"
				105364	6	Reducer 5" x 4"
						Reducer 6" x 5"
						Reducer 8" x 7"

K3

NOTE: CALL items are special order. Other sizes available as special order. Call for details.

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

K3

Rev 3/17

Order Online: www.teecoproducts.com
 e-mail: info@teecoproducts.com

Sacramento, CA
 (800) 225-6621

Auburn, WA
 (800) 426-9456

Rapid City, SD
 (800) 843-8660

Consul LP-Gas Refrigerator Parts

Consul LP-Gas Refrigerators are no longer available. However, parts may be ordered. Please see below and next page.




Consul Refrigerator Repair Parts

Consul parts are available. See diagram below and listing next page.



K4



Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

K4

Rev 3/17

Order Online: www.teecoproducts.com
e-mail: info@teecoproducts.com

Sacramento, CA
(800) 225-6621

Auburn, WA
(800) 426-9456

Rapid City, SD
(800) 843-8660

Consul LP-Gas Refrigerator Parts

Repair Parts Listing

Ref. no.	Description	Qty.	Part no.
101	Cabinet, white color	1	
102	Hinge, upper	1	CR-102-E
103	Cover, upper hinge	1	CR-103-E
104	Shim, upper hinge	2	CR-104
105	Shim, center hinge	2	CR-105-E
106	Hinge, center	1	CR-106-E
107	Collector, drain	1	CR-107-E
108	Hinge, lower	1	CR-111-R
109	Leveling screw	4	CR-109-E
110	Console, white color	1	CR-110-E
111	Cover, console	1	CR-114-RGW
112	Box, light	1	CR-112-E
113	Cover, box light	1	CR-116-R
114	Switch, light	1	CR-114-E
115	Lamp 2.5V - .75W	1	CR-115-E
116	Cover	6	CR-116-E
117	Screw, torx M5x20	7	CR-117-E
118	Screw M8x12.7	14	CR-118-E
119	Screw M10x35	4	CR-119-E
120	Screw M8x9.5	4	CR-120-E
121	Screw M8x12.7	3	CR-121-E
122	Shim, lower hinge	1	CR-122-E
123	Cover	2	CR-119-RGW
201	Absorption System - TU24	1	CR-201
202	Chimney	1	CR-202-CH
203	Brush, chimney	1	CR-203
204	Fastener, bulb	1	CR-204-BC
205	Deflector, strangler assembly	1	CR-205-DS
206	Screw M8x12.7	3	CR-206-E
207	Gas burner	1	CR-207-H
208	Electrode	1	CR-208
209	Thermopar	1	CR-209-Q
210	Clamp, freezer	1	CR-210
211	Box, evaporator	9	CR-211-E
212	Injector .370mm	1	CR-212
213	Housing, injector	1	CR-213
214	Union	2	CR-214
215	Protection, burner	1	CR-206
216	Support valve	2	CR-217-R
217	Rod, valve safety	1	CR-217-E
218	Sight, flame	1	CR-218-E
219	Tube, gas	1	CR-215-Q
220	Thermostat, automatic control	1	CR-216-NEW
221	Bushing, selector	2	CR-230
222	Knob, command	1	CR-229-RGW
Ref. no.	Description	Qty.	Part no.

223	Knob, command	1	CR-223-E
224	Knob, lighter	1	CR-230-RGW
225	Bushing, thermostat valve	1	CR-225-E
226	Igniter, electric	1	CR-232-I
227	Connector	1	CR-227-E
228	Bushing, rod	1	CR-234-BR
229	Clamp	1	CR-229-E
230	Split, pin	4	CR-230-E
231	Screw, torx	8	CR-239-R
232	Screw M8x12.7	14	CR-232-E
233	Screw M6x25	4	CR-233-E
234	Washer	4	CR-234-E
235	Clamp	3	CR-243-C
236	Union	2	CR-236-E
237	Screw	4	CR-237-E
238	Bushing, selector	1	CR-223
239	Gas valve	1	CR-239-E
240	Screw, lighter knob	1	CR-240-E
301	Tray, ice cubes	2	CR-301-E
302	Tray, dripping	1	CR-302-T
303	Trim, shelf	3	CR-303-R
304	Shelf, glass	1	CR-304-S
305	Crisper, vegetables	1	CR-305-E
306	Shelf	3	CR-306-R
307	Shelf protection	1	CR-307-E
308	Tube, drain	1	CR-127
309	Pin, drain	1	CR-110-DS
401	Door, refrigerator white color	1	CR-401-RGW
402	Gasket, refrigerator	1	CR-406-R
403	Trim, egg holder	1	CR-403-E
404	Trim	2	CR-405-R
405	Trim, bottles	1	CR-405-E
406	Holder, eggs	2	CR-406-E
407	Stop bushing for right hand, white color	1	CR-407-E
408	Screw M10x23	2	CR-408-E
409	Stop bushing for reversal left hand, white color	1	CR-131-R-LSGW
410	Bushing, white color	4	CR-410-E
411	Cover, door bushing	2	CR-403-RGW
412	Clicking bushing for right hand, white color	1	CR-130-R-RSGW
413	Door, freezer, white color	1	CR-409-RGW
414	Gasket, freezer	1	CR-414-E
415	Clicking bushing for reversal left hand, white color	1	CR-130-R-LSGW
416	Nameplate, Consul	1	CR-407-R

K5

NOTE: Prices are per piece.

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

K5

Rev 3/17

Order Online: www.teecoproducts.com
e-mail: info@teecoproducts.com

Sacramento, CA Auburn, WA Rapid City, SD
(800) 225-6621 (800) 426-9456 (800) 843-8660

Humphrey Gaslights

Mounts permanently and operates on standard low-pressure LP-Gas. Provides brightness comparable to a 70-watt bulb. Preset air-intake eliminates adjustments. One pound of propane produces approximately eleven hours of light. Models available for cottage/cabin and RV applications. Durable Pyrex glass globes. Wall mount, or ceiling mount one to three lights together with optional ceiling mount kit (OPK-3). Durable finishes. Heat-resistant enamels will not chip or crack. AGA approved.

Series 9 Has a preformed mantle for home, cabin, cottage or other static applications.

Series 9 Part no.	Description
9-CC	Classic chrome finish
9-HPB	High polished brass finish
9-NA	Natural almond finish
9-PG	Pebble gray finish
9-RW	Rustic walnut finish
9-FL	Flat chrome finish
9-GR	Hunter green finish

Series 9T Uses flexible tie-on or clip-on mantle for campers and RV's. Reduced breakage from vehicle motion.


Series 9T Part no.	Description
9T-CC	Classic chrome finish
9T-HPB	High polished brass finish
9T-NA	Natural almond finish
9T-PG	Pebble gray finish
9T-RW	Rustic walnut finish
9T-FL	Flat chrome finish
9T-GR	Hunter green finish



Accessories and Parts

High altitude and natural gas nozzles also available. Call for information.

Part no.	Description	For series
L12-11A	Burner nose for flexible mantle with rim/screen	9T
L12-2A	Burner nose for preformed mantle with hook rim/screen	9
L13-2	Pre-formed mantle (1 pack)	9
L13-6-5PK	Tie-on mantle (5 pack)	9T
L13-6-100PK	Tie-on mantle (100 pack)	9T
L13-8-5PK	Clip on mantle (5 pack)	9T
L24-15-6PK	Seals- Fit between burner nose and Bunsen (six pack)	9, 9T
L6-20	Half-frosted Pyrex globe	9, 9T
L9-50	Propane gas nozzle	9, 9T
L9-52	Propane gas nozzle for use above 4,500 ft. elevation	9, 9T
OPK-3	Kit for mounting 1-3 lights to ceiling. Lights sold separately	9, 9T




K6

Chimney Liner Kits

SWII Flexible Chimney Liner Kits

Quality flexible chimney liner at a competitive price. Kit includes 2-ply flex liner, top, support plate, support sleeve, mortar guard, inlet coupler and hardware.

Part no.	Diameter	Length of liner
1738033	3"	25'
1738055		35'
1748033	4"	25'
1748055		35'
1758033	5"	25'
1758055		35'
1768033	6"	25'
1768055		35'



Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

K6

Rev 3/17