

Tank/Cylinder Paints, Low VOC

No. 5 Tank Enamel

Great coverage and optimum hiding power. Covers perfectly in one coat, slow chalking, looks good for years. Ideal for covering good painted surfaces. Call for others not listed. Low in Volatile Organic Compounds (VOC)

| Part no. | Description |
|----------|-----------------------------|
| 5LV | White, gallon |
| 5-5LV | White, 5 gallon |
| 0130LV | Mist Gray, gallon |
| 0166LV | Rural Green, gallon |
| 0184LV | Tan, gallon |
| 4450LV | Pearl Aluminum Gray, gallon |



Silicone Alkyd Enamel

Modified with silicone for a high-gloss finish which retains gloss and color. Withstands sun, moisture, heat and industrial atmosphere. Low VOC.

| Part no. | Description |
|----------|---------------|
| S-7LV | White, gallon |



Primers, Low VOC

Epoxy Ester Primer

Rust inhibitive single pack epoxy. Excellent adhesion properties. Superior weather and corrosion resistance. Low VOC

| Part no. | Description |
|----------|---------------------------|
| M150LV | White primer, gallon |
| M150-5LV | White primer, 5 gallons |
| 1373LV | Gray primer, gallon |
| L9200LV | Gray/Green primer, gallon |



Enviro-Tuff Industrial Enamels

Weather resistant, durable and easy to apply. Excellent color retention. Low VOC. Lead and chrome free.

| Part no. | Description |
|----------|------------------------|
| 625LV | Federal Yellow, gallon |
| 677LV | J.D. Green, gallon |
| 685LV | Safety Yellow, gallon |
| 699LV | I.H. Red, gallon |



Foot Ring Protector, Low VOC

Phenolic, designed to penetrate rust and provide a chemical resistant finish durable enough to protect the bottoms of cylinders. Low VOC.

| Part no. | Description |
|----------|----------------------|
| L-122LV | Black, w/mat, gallon |



Aluminum Finishes

Aluminum Tank Paint

An excellent finish for bulk and customer tanks and pipes. Great weather durability. 2000-P offers maximum amount of aluminum metal paste per gallon.

| Part no. | Description |
|----------|--------------------------------|
| 2000-P | Aluminum, high pigment, gallon |

Strontium Chromate Aluminum

Contains a chromate paste to provide a tough finish over marginally prepared surfaces. Prevents corrosion. Easy one-coat coverage.

| Part no. | Description |
|----------|------------------|
| 2110-P | Aluminum, gallon |

Special Colors: Special color orders will require 48 gallons or more.
For these orders, over-runs up to 10% of the order will ship without notification.

Non-Low VOC versions still available for a limited time.
Paint & Thinners shipped by UPS ground or motor freight only.

Thinner / Wetting Agents

XL Thinner, Low VOC

| Part no. | Description |
|----------|-----------------------|
| X-LLV | Paint thinner, gallon |



Penetrol

Daub or brush on Penetrol wherever rust cannot be removed. May be mixed with paint to slow its drying time. Displaces air or moisture in rust.

| Part no. | Description |
|----------|--------------------------------|
| M150-WAG | Penetrol wetting agent, gallon |



Corroseal™

Rust inhibitor and converter. Converts rust into an inert substance that can be top coated for total rust protection.

| Part no. | Description |
|----------|----------------------|
| CS-32 | Corroseal, 32 oz. |
| CS-1 | Corroseal, gallon |
| CS-5 | Corroseal, 5 gallon |
| CS-52 | Corroseal, 52 gallon |



Paint Application Tools & Kits

Bucket bonnets keeps air out of a partially filled 5 gallon paint for two days or longer.

| Part no. | Description |
|----------|-----------------------|
| BG-2 | 5 gallon empty bucket |
| BB-3 | Bucket bonnets (3) |
| BG-1 | Bucket grid |



| Part no. | Description |
|----------|-----------------------|
| BG-3 | Wire brush w/scrapper |



2" wide tank trimmer brush has foot-long handle to stand up in bucket.

| Part no. | Description |
|----------|--------------------|
| BG-4 | Tank trimmer brush |



Thread handle for extension pole. Cover is 9", extra thick real lambswool.

| Part no. | Description |
|----------|--------------|
| 9-K | Roller |
| 9-V16 | Roller cover |



Segmented cylinder and pipe roller conforms to uneven surfaces.

| Part no. | Description |
|----------|--------------------------|
| 63-FLL | Cylinder and pipe roller |
| 6-FLL | Roller refill for 63-FLL |



Extension for 9-K and 63-FLL rollers.

| Part no. | Description |
|----------|--------------------|
| EX-3P | 42" extension pole |



| Part no. | Description |
|----------|----------------------|
| 9-X11 | Production sandpaper |



Paint Application Kit

Includes (3) BB-3 bucket bonnets, (2) BG-1 bucket grids, (2) BG-2 empty 5 gallon buckets, (2) 9-K rollers, (4) 9-V16 roller covers, (1) EX-3P extension pole, (2) BG-4 tank trimmer brush, (1) BG-3 wire brush and (10) 9-X11 sandpaper sheets.

| Part no. | Description |
|----------|-----------------------|
| BG-10 | Paint application kit |

Paint & Thinners shipped by UPS ground or motor freight only.

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

G2

Rev 8/20

Order Online: www.teecoproducts.com
e-mail: info@teecoproducts.com

Sacramento, CA
(800) 225-6621

Auburn, WA
(800) 426-9456


Rapid City, SD
(800) 843-8660

Signs

Filling Instruction Sign

20" x 12" sign. Red letters on white background. Available on heavy gauge vinyl for sign mounting or as pressure sensitive vinyl decal.

| Part no. | Description |
|----------|--|
| D66SN | Vinyl sign, filling instructions |
| D90TPI | Vinyl decal, filling instructions |
| D67 | Vinyl decal, filling instructions, Spanish |




D90TPI

Motor Fuel Price Sign

8" x 12" sign. Red letters on white background, w/blue vinyl price numerals. Available on heavy gauge vinyl for sign mounting or as pressure sensitive vinyl decal. Replacement numerals available.

| Part no. | Description |
|----------|--------------------------------|
| PV168MSN | Vinyl sign, motor fuel prices |
| PV168M | Vinyl decal, motor fuel prices |
| D71 | Replacement numerals (10 sets) |



Cylinder Fuel Price Sign

8" x 12" sign. Red letters on white background, w/blue vinyl price numerals. Available on heavy gauge vinyl for sign mounting or as pressure sensitive vinyl decal. Replacement numerals available.

| Part no. | Description |
|----------|-----------------------------------|
| PV168CSN | Vinyl sign, cylinder fuel prices |
| PV168C | Vinyl decal, cylinder fuel prices |
| D71 | Replacement numerals (10 sets) |



1075 Sign

Magnetic backing. Red with black letters.

| Part no. | Description |
|----------|--------------------------|
| D11 | Magnetic sign, 15" x 15" |



Push/Pull to Close Sign

| Part no. | Description |
|----------|---------------------------------------|
| P81 | Plastic Sign, 10" x 12" Pull To Close |
| P82 | Plastic Sign, 10" x 12" Push to Close |



OPD Sign

| Part no. | Description |
|----------|---------------------------|
| S35483 | OPD sign, metal 18" x 24" |



Truck Decals

More decals available. Please call Teeco.

Flammable Gas Sign

Diamond shape. Red letters on white vinyl.



| Part no. | Description |
|----------|--------------------------------|
| D90FZ | Vinyl decal, 10 1/2" x 10 1/2" |

1075/1978 Sign

Diamond shape. Red with black letters.

1978



| Part no. | Description |
|----------|----------------------------------|
| P1075 | Hard plastic 10.625" x 10.625" |
| D10 | Vinyl sticker, 10 1/2" x 10 1/2" |
| D1978 | 1978 overlay for 90-FZ-1 decal |
| PV110 | Vinyl 1075 decal, 4" x 4" |

Emergency Shutoff Decal for Trucks
Red letters (.92" high) on white background



| Part no. | Description |
|----------|------------------------------------|
| D-83B | Emergency Shutoff decal for trucks |

Hazardous Cargo Vehicle Decal

Must be displayed on all trucks operating under DOT Interim Final Rule 49 CFR 171.5. White letters on black vinyl.

OPERATING UNDER 49 CFR 171.5

| Part no. | Description |
|----------|-------------------------------|
| PV49CFR | Vinyl decal, 5 7/8" x 2 5/16" |

Hydro Retest Decal

| |
|-------------------------------------|
| 1 2 3 4 5 6 7 8 9 0 - 92 |
| 1 2 3 4 5 6 7 8 9 0 - 93 |
| 1 2 3 4 5 6 7 8 9 0 - 94 |
| 1 2 3 4 5 6 7 8 9 0 - 95 |
| 1 2 3 4 5 6 7 8 9 0 - 96 |
| N . Q . T . 1 1 1 1 1 1 1 8 8 8 |
| V , I , P , K , T , V , K , V , K , |

| Part no. | Description |
|----------|---|
| D89 | DOT test date number kit, black letters |

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

Order Online: www.teecoproducts.com
e-mail: info@teecoproducts.com

Engine Fuel Decals

NFPA 58 approved. Printed on reflective pressure sensitive vinyl.

| Part no. | Description |
|----------|----------------------|
| D85 | PROPANE decal, black |
| D85C | CNG decal, blue |



| Part no. | Description |
|----------|---|
| PV099 | Vinyl decal, 1 1/2" x 9", red letters |
| PV100 | Vinyl decal, 1 1/2" x 9", black letters |



| Part no. | Description |
|----------|--|
| PV101 | Vinyl decal, 1 1/2" x 5", blue letters |



G4

DOT Cylinder Decals

Required on all DOT cylinders. Red and black on white pressure sensitive vinyl.




| Part no. | Custom Cylinder Decal Dimensions |
|-------------|----------------------------------|
| GHSD-60BI | 2.24"h x 5.96"w |
| GHSD-60EI | 1.98"h x 5.10"w |
| GHSD-6065BI | 4.2"h x 8.04"w |
| GHSD-625BI | 4"h x 8"w |

Required on all DOT cylinders. Black on yellow vinyl.

| Part no. | Description |
|----------|--|
| D10258 | Warning decal, 3.25" x 5.375" (100/pack) |



Meets OSHA HazMat requirements for commercial customer. Red, blue, yellow and black lettering.



| Part no. | Description |
|----------|--|
| DHZ116 | Vinyl decal, 2 1/2" x 5" (pack of 100) |

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

Vinyl Decals

Meets OSHA HazMat requirements for commercial customer. Red, blue, yellow and black lettering.

| Part no. | Description |
|----------|------------------------------|
| D8V7041 | Vinyl decal, 7.5" x 7.5" |
| D8V7042 | Vinyl decal, 10.75" x 10.75" |
| D8V7043 | Vinyl decal, 15" x 15" |
| DL98 | Vinyl decal, 11" x 11" |



Fuel Content Decals

Meets requirements of FTC Publication 16 CFR, Part 306. 85% and 90% available. Black and yellow.

| Part no. | Description |
|----------|--------------------------|
| D44 | Vinyl decal, 85% Propane |
| D46 | Vinyl decal, 90% Propane |



Vinyl Decals

For a variety of applications.

| Part no. | Description |
|----------|---|
| D12 | Vinyl decal, 27" x 4", 1 1/2" red letters |

NO SMOKING, OPEN FLAMES OR OTHER SOURCE 25 OF IGNITION PERMITTED WITHIN 50 FEET 10

| Part no. | Description |
|----------|---------------------------------------|
| D13 | Vinyl decal, 6" x 20", 4" red letters |

NO SMOKING

| Part no. | Description |
|----------|---|
| D15 | Vinyl decal, 2 1/2" x 11 1/4", 2" red letters |
| PV15SPV | D15 decal, Spanish |
| D14 | Vinyl decal, 6" x 24", 6" red letters |

FLAMMABLE

| Part no. | Description |
|----------|---------------------------------------|
| D16 | Vinyl decal, 6" x 24", 4" red letters |

FLAMMABLE GAS

| Part no. | Description |
|----------|---------------------------------------|
| D22 | Vinyl decal, 4" x 12", 2" red letters |
| PV103 | Vinyl decal, 4" x 16", 3" red letters |
| PL25 | Vinyl decal, 6" x 21", 4" red letters |

PROPANE

Vinyl Decals

| Part no. | Description |
|----------|---------------------------------------|
| PV102 | Vinyl decal, 4" x 12", 2" red letters |

| Part no. | Description |
|----------|--|
| D51 | Vinyl decal, 1½" x 2¾", 3/4" red letters |

| Part no. | Description |
|----------|---|
| D37C | Vinyl decal, 3" x 25", curved, 2" red letters |

| Part no. | Description |
|----------|---|
| D37S | Vinyl decal, 3" x 25", straight, 2" red letters |

| Part no. | Description |
|----------|---------------------------------------|
| PV105 | Vinyl decal, 1¼" x 4", 1" red letters |

| Part no. | Description |
|----------|---------------------------------------|
| D38 | Vinyl decal, 6" x 29", 4" red letters |


| Part no. | Description |
|----------|--|
| D42 | Vinyl decal, 1" x 4¾", 5/16" red letters |

| Part no. | Description |
|----------|--------------------------------------|
| D77 | Vinyl decal, 12" x 16", red letters |
| PS077-12 | Plastic sign, 12" x 16", red letters |

| Part no. | Description |
|----------|--------------------------------------|
| D47 | Vinyl decal, 1" x 3", ¾" red letters |

| Part no. | Description |
|----------|---|
| D48 | Vinyl decal, 1" x 3", 3/4", green letters |

| Part no. | Description |
|----------|--|
| D36 | Vinyl decal, 3" x 38", 2" red letters. |



PLEASE TURN OFF ENGINE WHEN REFUELING

| Part no. | Description |
|----------|-------------------------------------|
| PV106 | Vinyl decal, 10½" x 3", red letters |

| Part no. | Description |
|----------|-----------------------------|
| PV478 | Vinyl decals (12), 1½" x 3" |

| Part no. | Description |
|----------|--|
| D41 | Vinyl decal, 1" x 4¾", 5/16" red letters |

| Part no. | Description |
|----------|-----------------------------------|
| D83 | Vinyl decal, 2" x 6", red letters |

Note: D83 is not to be used on bobtail transport trucks to label the Emergency Valve. For these applications, use D-83B.

| Part no. | Description |
|----------|---------------------------------------|
| D59 | Vinyl decal, 5 5/8" x 8½" PULL HANDLE |
| D59A | PUSH BUTTON decal for D59 |


| Part no. | Description |
|----------|---------------------------------------|
| D31 | Vinyl decal, 4" x 24", 3" red letters |

| Part no. | Description |
|----------|---------------------------------------|
| V81 | Vinyl decal, 10" x 12", Pull To Close |
| V82 | Vinyl decal, 10" x 12", Push To Close |

| Part no. | Description |
|----------|--|
| D56 | Vinyl decal, 3/4" x 1 1/8", 3/8" black letters |

| Part no. | Description |
|----------|--|
| D57 | Vinyl decal, 3/4" x 1 1/8", 3/8" black letters |

| Part no. | Description |
|----------|---|
| D64 | Vinyl decal, 6" x 6", black letters on yellow vinyl |



PUSH BUTTON



86½%

90%



G5

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

G5

Rev 8/20

Order Online: www.teecoproducts.com
e-mail: info@teecoproducts.com

Sacramento, CA
(800) 225-6621

Auburn, WA
(800) 426-9456

Rapid City, SD
(800) 843-8660

Vinyl Decals (cont'd)

| Part no. | Description |
|----------|---|
| PV108 | Vinyl decal, 4 3/4" x 4", red/black letters |

CAUTION

1. Reset meter to zero.
2. Start pump before connecting to cylinder.
3. Connect hose valve to fill connection.
4. Open hose valve slowly.
5. Do not overfill.

| Part no. | Description |
|----------|--|
| PV109 | Vinyl decal, 3 5/8" x 5 1/2", 15/16" red letters |

**EMERGENCY
PROPANE
SWITCH**

| Part no. | Description |
|----------|---|
| D53 | 8.5" x 11" Emergency Procedure decal, white w/red letters |
| 94-D-53 | 8.5" x 11" Emergency Procedure decal, red w/white letters |

Emergency Procedure
If an unintentional release of product occurs during unloading, perform the following:

1. Immediately activate the main liquid withdrawal (shut) valve remote control to stop the flow of propane.
2. Shut-off the truck engine as quickly as possible to remove a potential source of ignition and stop the PFD.
3. If unable to stop leak:
 - Evacuate all personnel to the downwind area. Use all personnel and resources to stop the leak.
 - Notify emergency authorities (911) and advise of the nature of the leak.
 - Do not use any electrical equipment, such as mobile light, cellular, or radios.
 - Do not use any propane equipment, such as valves, regulators, or hoses.
 - Do not use any propane equipment, such as valves, regulators, or hoses.
4. If able to stop the leak:
 - Stop the propane flow immediately, remove the cause of the leak and repair.
 - Notify the driver of the situation, advise of the nature of the leak and repair.
 - Do not use any electrical equipment, such as mobile light, cellular, or radios.
 - Do not use any propane equipment, such as valves, regulators, or hoses.
 - Do not use any propane equipment, such as valves, regulators, or hoses.

Always follow the label of emergency shut-down device for instructions.

Always use emergency shut-down device.

Emergency Procedure
If an unintentional release of product occurs during unloading, perform the following:

1. Immediately depress the red emergency STOP button on the PFD Emergency Shut-Down Control.
2. Check engine compartment for electrical equipment which is a likely source of ignition and stop the PFD.
3. Shut-off the truck engine as quickly as possible to remove a potential source of ignition and stop the PFD.
4. If unable to stop leak:
 - Evacuate all personnel to the downwind area. Use all personnel and resources to stop the leak.
 - Notify emergency authorities (911) and advise of the nature of the leak.
 - Do not use any electrical equipment, such as mobile light, cellular, or radios.
 - Do not use any propane equipment, such as valves, regulators, or hoses.
 - Do not use any propane equipment, such as valves, regulators, or hoses.
4. If able to stop leak:
 - Stop the propane flow immediately, remove the cause of the leak and repair.
 - Notify the driver of the situation, advise of the nature of the leak and repair.
 - Do not use any electrical equipment, such as mobile light, cellular, or radios.
 - Do not use any propane equipment, such as valves, regulators, or hoses.
 - Do not use any propane equipment, such as valves, regulators, or hoses.

Always follow the label of emergency shut-down device for instructions.

Always use emergency shut-down device.


| Part no. | Description |
|----------|---|
| D63 | Vinyl, 16" x 1", black letters Keep Feet Clear |

KEEP FEET CLEAR

Proposition 65 Decals



PV651




PV652

| Part no. | Description |
|----------|---------------------------------------|
| PV651 | Prop 65 Decal 5.5" x 2" |
| PV651G | Prop 65 Decal for Gas-Oil 3.5" x 2.5" |
| PV651G1 | Prop 65 Decal This Equip Contains... |
| PV652 | Prop 65 Decal 5.5" x 5" |
| PV652G | Prop 65 Decal For Gas-Oil 5.5" x 5" |
| PV652P | Prop 65 Decal Personalized 5.5" x 5" |

Cylinder Requalification Decals

NFPA 58 Section 5.2.2.3 requires visually inspected cylinders to be marked with a Requalification Identification Number (RIN), the month and year of the inspection and the letter "E" to denote the external visual inspection.



| Part no. | Description |
|----------|--|
| 5-C87 | DOT Cylinder Requalification Decal, 1 1/2" x 5 1/4" black on white vinyl |
| 5-V88-1 | Quarterly Month Decals - 1st Quarter |
| 5-V88-2 | Quarterly Month Decals - 2nd Quarter |
| 5-V88-3 | Quarterly Month Decals - 3rd Quarter |
| 5-V88-4 | Quarterly Month Decals - 4th Quarter |
| 5-V88-20 | Year Decal - 2020 |
| 5-V88-21 | Year Decal - 2021 |
| 5-V88-22 | Year Decal - 2022 |

Propane Signage



DFB



DTGR
(Ground Stake)

| Part no. | Description |
|----------|---|
| DFB | Blue/White Store Front Flag with Steel Base |
| DFBX | Blue/White Store Front Cylinder Exchange Flag with Steel Base |
| DTGR | Blue/White Revolving Tank Sign with Yard Stake |
| DTXBT | Blue/White Revolving Tank Sign with X-Cross Base |

Placards



PH



1075

| Part no. | Description |
|----------|---|
| PH | Slidemaster Placard Holder, Stainless Steel |
| 1075 | Flip Placard System For LPG & NH3 |

Prices subject to change without notice. Some items may not be in stock at all warehouses or may be special order. Please check with TEECO.

Order Online: www.teecoproducts.com
e-mail: info@teecoproducts.com