


TEECO Topics

Serving the Western US Since 1946



Jul - Aug - Sept 2020

News, Information and Products for the LP-Gas Equipment Professional

TEECO
PRODUCTS, INC.

Open House and Golf Tournament

* Postponed Until 2021 *



As much as we were looking forward to our Open House this fall, we feel it would be unwise to continue as planned, given the state of COVID-19 cases, especially in California, and company policies which would keep several of our vendors and customers from being able to participate at this time.

But the good news... Next year will be Teeco's 75th Anniversary and we look forward to putting on some amazing events in 2021!

In the meantime, stay healthy and we look forward to seeing you again soon!

Be on the lookout for the NEW Teeco Catalog! Coming Soon!

See Inside...

Teeco Training Tuesdays	Page 1
Outside the Box	Page 2
Teeco Smiles	Page 3
NEW RegO Dielectric Regulators	Page 4
NEW Lumin LP-Gas Filters	Page 5
RegO Product Update	Page 7
What Is This Product?	Page 8

Teeco Training Tuesdays

Live Online Product Training Sessions
With Industry Professionals

Join Us For Our Upcoming Sessions

Smart-Hose

Tuesday, August 18th 8:30am Pacific Time

Copperhead Industries

Tuesday, September 15th 8:30am Pacific Time

To be added to our training list, email mary@teecoproducts.com with your name, company and email address.



WPGA Offers Free CETP Workshops Online

Fuel Transport From Tanks

Tuesday, August 18, 2020 | 8AM - 10AM PST

[Click here to Register](#)

If you need to exchange a horizontal ASME tank in the field, you may need to evacuate the liquid propane from the tank before moving it. This lesson introduces the different pieces of equipment you will use to evacuate propane from a stationary tank to another stationary tank or to a bobtail cargo tank.

Office Refresher

Tuesday, September 15, 2020 | 10AM - 12PM PST

[Click here to Register](#)

To fully achieve the propane industry's safety mission, this webinar will explain the five critical safety goals:

1. Prevent accidents and incidents.
2. Improve safety awareness.
3. Increase consumer confidence.
4. Strengthen the skills and knowledge of propane employees.
- 5) Improve regulatory compliance.

For more information or to register for these classes, please contact the Western Propane Gas Association.

Email: info@westernpga.org | Phone: 916-447-9742

Quality LP Gas Products from a Company You Can Trust

Outside the Box

With Jay Stephens

President and CEO
Teeco Products, Inc.

Recently someone complained that his family seemed to be the middle of the Summer Doldrums. No surprise to those who know me well, I began to wonder what the phrase really meant and if he was using the term properly... Yes I'm weird like that. So of course I had to look it up, as the only time I remember it being used often, was in the movie 'The Pirates of the Caribbean'. Of course, like many phrases it has more than one meaning. Primarily - The doldrums are noted for calm periods when the winds disappear altogether, trapping sail-powered boats for periods of days or weeks. The term appears to have arisen in the 18th century, when cross-Equator sailing voyages became more common. Eventually the term led to being used informally as a state of inactivity, mild depression, listlessness or stagnation. Obviously this was how my friend was using the term.

I began to be very thankful for my family, friends, co-workers and customers. I can honestly say that the majority of people we

surround ourselves with are keeping a great (most of the time) attitude; remaining positive; and working their butt off.

With that said a very sincere thank you and an 'air-hug' go out to all of you for keeping our ESSENTIAL industry moving forward...and if you ask for it - I'll still give you a real hug! I could list every one of you for the important part you all play in the Propane Supply Chain, but I would be here for days. Rest assured, Teeco employees are working very hard to make sure you have everything you need to keep your customer satisfied.

Jay Stephens

Words to live by -

A sign of wisdom and maturity is when you come to terms with the realization that your decisions cause your rewards and consequences. You are responsible for your life, and your ultimate success depends on the choices you make.

- Denis Waitley




Inside **TEECO**

Dave Cospers might be a familiar face, even if you haven't seen him building dozens of cylinder cabinets at Teeco's Irvine headquarters. He's been in the industry since 1975, starting out as a truck driver at a small independent company called Industrial Fuels in Santa Fe Springs, CA. He moved into the Service Department 6 months later, and like so many people, propane was in his blood. That small independent was later bought by Petrolane, and eventually AmeriGas, where he served as District Manager in Santa Fe Springs.

Over the years, Dave also served on the Motor Fuel Committee of the Western Propane Gas Association Board of Directors.

He's been part of the Teeco Team for 4 years, building American Standard Cylinder Cabinets in his spare time. He's quick too - building up to 14 cabinets in an 8 hour day.

When he's not whipping up cabinets, Dave enjoys restoring his 1968 Mustang. He also volunteers for a theater group as their Assistant Stage Manager and Lead Carpenter. He's been working with them for 20 years.



TEECO Topics is published four times yearly by Teeco Products, Inc. as a service to our customers. 3,000 copies are distributed to customers and selected LPG industry leaders.

President & CEO

Jay Stephens

Vice President of Administration & CFO

Gary Childress

Regional Sales Manager, Central/Southern California, Nevada and Arizona

Dave Cox

Operations Manager, Sacramento, CA

Mike Cooper

Regional Sales Manager, Pacific Northwest/Northern California

Dave Drimmel

Operations Manager, Auburn, WA

Randy White

Regional Sales Manager, Rocky Mountains/Midwest

Mike Lorenz

Operations Manager, Rapid City, SD

Dean Travis

Fabrication Manager

Randy Rothschilder

Engineering, Construction & Fabrication Manager

Paul Connelly

Marketing Manager

Mary Clements

TEECO Corporate Headquarters

16881 Armstrong Avenue

Irvine, CA 92606

800-854-3463

or 949-261-6295

FAX 888-854-3463

or 949-474-8663



Sales and Service

TEECO Sacramento, CA Superstore

Sales, Fabrication, Engineering & Construction

7471 Reese Road

Sacramento, CA 95828

800-225-6621 or 916-688-3535

FAX: 888-225-6621 or 916-689-1219

TEECO Rapid City, SD

414 E. Blvd. N.

Rapid City, SD 57701

800-843-8660 or 605-342-2802

FAX 888-843-8660 or 605-342-4942

TEECO Auburn, WA

1601 Pike Street N.W.

Auburn, WA 98001

800-426-9456 or 253-735-0222

FAX 888-426-9456 or 253-735-1008

Website: www.teecoproducts.com

Email: info@teecoproducts.com

To Receive your copy of Teeco Topics via email, please send your request to info@teecoproducts.com

TEECO Smiles

Even though we can't see you as often as we'd like, we're still thinking of you!
Here are some Teeco Family smiles to warm your day.



Jennifer




Mike



Jay and his wife, Sue



Heidi



Mike



Adrian



Derek



Chad



Dean and his wife, Becky



Teeco's Auburn Crew
(back) Dave, Randy, Tom, (front) Chet, Dee, Birk



Trina

2020 REBATE PROGRAMS!



Many industry associations, along with some manufacturers, offer rebate programs to help offset the cost of installing propane equipment. Be sure to take advantage of these opportunities.

Teeco maintains a list of industry rebate programs on our website. Simply go to: www.teecoproducts.com and click on **Industry Links** at the top of our home page. You'll find links to national and regional propane associations and the rebate programs they offer.

Funds are available on a first come, first served basis. Please contact the appropriate association or entity for details and availability.

NEW! Dielectric Regulators from



RegO dielectric second stage regulators are engineered to isolate potential electrical current from metallic piping before entering a building. The use of a separate dielectric union is not necessary because the regulator contains a dielectric union as part of the inlet assembly.



LV5503BD Series

Dielectric Low Pressure Second Stage Regulators - Standard Settings

Available in both SAE Flare and FNPT inlet connections. With 15 PSIG inlet pressure, regulator is designed to not pass more than 5 PSIG with the seat disc removed. The dielectric union is part of the inlet assembly. Straight line valve closure reduces wear on the seat disc. Replaceable valve orifice and valve seat disc. Extra long lever arm for uniform pressure delivery. Large bonnet vent profile minimizes vent freeze over when properly installed

Part no.	Inlet Connection	Outlet Connection	Orifice Size	Adjustment Range	Bonnet Vent Position	Vapor Capacity BTU/hr. Propane
LV5503B4D	1/2" F.NPT	3/4" F.NPT	1/4"	9" - 13" w.c.	Over Inlet	1,600,000
LV5503B6D	3/4" F.NPT					
LV5503B8D		1" F.NPT	9/32"			2,300,000

** Maximum flow based on 10 PSIG inlet and 9" w.c. delivery pressure.



LV4403Y3D Series

Dielectric Second Stage Regulators for 2 PSI Systems

Dielectric second stage 2 PSI regulators for isolating potential electrical current from metallic piping. With 15 PSIG inlet pressure, regulator is designed to not pass more than 5 PSIG with the seat disc removed. Dielectric union is part of the inlet assembly. Straight line valve closure reduces wear on the seat disc. Replaceable valve orifice and valve seat disc. Built in pressure tap has plugged 1/8" F.NPT outlet. Plug can be removed with a 3/16" hex wrench. Large vent has 3/4" F.NPT for vent piping.

Part no.	Inlet Connection	Outlet Connection	Orifice Size	Adjustment Range	Bonnet Vent Position	Vapor Capacity BTU/hr. Propane
LV4403Y4D	1/2" F.NPT	1/2" F.NPT	1/4"	1 PSIG @ 10 PSIG Inlet	Over Inlet	1,000,000
LV4403Y46D		3/4" F.NPT				
LV4403Y66D	1/2" F.NPT					
LV4403Y46RD						
LV4403Y66RD	3/4" F.NPT					

** Maximum flow based on 10 PSIG inlet and 9" w.c. delivery pressure.



LV5503YD Series

Dielectric Second Stage Regulators for 2 PSI Systems

Dielectric second stage 2 PSI regulators for isolating potential electrical current from metallic piping. With 15 PSIG inlet pressure, regulator is designed to not pass more than 5 PSIG with the seat disc removed. The dielectric union is part of the inlet assembly. Straight line valve closure reduces wear on the seat disc. Replaceable valve orifice and valve seat disc.

Part no.	Inlet Connection	Outlet Connection	Orifice Size	Adjustment Range	Bonnet Vent Position	Vapor Capacity BTU/hr. Propane
LV5503Y46D	1/2" F.NPT	3/4" F.NPT	1/4"	2 PSIG @ 10 PSIG Inlet	Over Inlet	2,200,000
LV5503Y48D		1" F.NPT	9/32"			
LV5503Y66D	3/4" F.NPT	3/4" F.NPT	1/4"			
LV5503Y68D		1" F.NPT	9/32"			

Maximum flow based on 10 PSIG inlet and 1.5 PSIG delivery pressure.

Other sizes available. Please call Tecco for information.



Lumin™ LP-Gas Filters

UL Certified Lumin™ Filtration units set a higher standard for LP Gas filtration systems. Up to 99.5% efficiency virtually eliminates all but the smallest contaminants to provide a cleaner burn, promoting maximum fuel efficiencies and reduced maintenance and replacement costs for critical components. Coupled with continuous use of Lumin LP Gas Additives with CH25X™ technology provides the ultimate premium LP Gas fuel system.



Item #	Description	Flow Rate Min - Max
Filters (w/Cartridge)		
LUM2H	Lumin Filter, 2" Manifold	66 - 130 gpm
LUM1H	Lumin Filter, 1" Manifold	35 - 137 gpm
LUM38H	Lumin Filter, 3/8" Manifold	10 - 35 gpm
Replacement Cartridges		
LUM2E	2" Replaceable Cartridge for LUM2H	
LUM1E	1" Replaceable Cartridge for LUM1H	
LUM38E	3/8" Replaceable Cartridge for LUM38H	

Got Summer Projects? Red Dragon Roofing Torches

Standup Torch

400,000 BTU/hr., 29" long for standup work. With trigger valve. Lightweight model also available.

Kit includes: torch, gauge, UL approved hose, hand tighten POL, torch bracket, regulator, spark lighter.



Item #	Description
RT2 1/2-20C	Torch kit
RT2 1/2-20LWC	Lightweight torch kit
RT2 1/2-20	Torch only

Detail Torch

50,000 BTU/hr. Ideal for flashing and detail work. Overall length 15".

Kit includes: torch, gauge, UL approved hose (25 ft.), hand tighten POL, torch bracket, regulator, spark lighter.



Item #	Description
RT1 1/2-10C	Torch kit
RT1 1/2-10	Torch only

PRODUCT SPOTLIGHT

GM55 & GM17 Gas Lighters

These lighter contain no fuel - They are able to be shipped via UPS/ Fedex.



Item #	Description
GM55	Gas Lighter, 5 1/2" flexible nozzle
GM17	Gas Lighter, 17" flexible nozzle

Seismic Shutoff Valves

Earthquake sensitive gas shut-off valve. Designed to close in the event of an earthquake, preventing gas flow into a structure where earthquake damage may have occurred. Reduces the potential for fire or explosion due to the release of gas into a structure. Designed to remain closed until manually reset. Not intended for replacing upstream manual shutoff valves. Made in the USA.

The trip mechanism is factory set and sealed. A sight glass is provided so that the Open or Closed indicator can be seen, and the trip mechanism status of the valve can be easily determined.



Vertical Top Entry Seismic Shutoff Valves

Item #	Description	List Price
EV-VT300-7	Earthquake valve, 3/4" 7 PSI	\$297.26
EV-VT310-60	Earthquake valve, 3/4" 60 PSI	\$392.30
EV-VT301-7	Earthquake valve, 1" 7 PSI	\$303.32
EV-VT311-60	Earthquake valve, 1" 60 PSI	\$396.34
EV-VT302-7	Earthquake valve, 1 1/4" 7 PSI	\$370.06
EV-VT312-60	Earthquake valve, 1 1/4" 60 PSI	\$434.76
EV-VT303-7	Earthquake valve, 1 1/2" 7 PSI	\$481.26
EV-VT313-60	Earthquake valve, 1 1/2" 60 PSI	\$576.30
EV-VT314-60	Earthquake valve, 2" 60 PSI	\$1,128.32
EV-VT315-30	Earthquake valve, 3" 60 PSI	\$CALL



Horizontal Entry Seismic Shutoff Valves

Item #	Description	List Price
EV300-7	Earthquake valve, 3/4" 7 PSI	\$297.26
EV310-60	Earthquake valve, 3/4" 60 PSI	\$392.30
EV301-7	Earthquake valve, 1" 7 PSI	\$303.32
EV311-60	Earthquake valve, 1" 60 PSI	\$396.34
EV302-7	Earthquake valve, 1 1/4" 7 PSI	\$370.06
EV312-60	Earthquake valve, 1 1/4" 60 PSI	\$434.76
EV303-7	Earthquake valve, 1 1/2" 7 PSI	\$481.26
EV313-60	Earthquake valve, 1 1/2" 60 PSI	\$576.30
EV314-60	Earthquake valve, 2" 60 PSI	\$1,128.32
EV315-60	Earthquake valve, 3" 60 PSI	\$CALL



The Original 510 Saf-T-Lok

Securely locks POL service valves to help prevent unauthorized hookups, reduce pilferage and increase security. The distinctively shaped key comes with each twelve Saf-T-Lok's ordered or is available separately. No padlock required.



The Original Saf-T-Lok #510
Shown with RegO 9101R1 (not included)

Item #	Description
510*	SAF-T-LOK, complete
510-K	Key

* Consists of 510-1 brass plug (1), 510-2 lock collar (1), 510-3 tamper seal (3). Standard carton contains (12) 510 SAF-T-LOK's & (1) 510-K key

TEECO Leak Detector

Easy to apply clear liquid. No mixing. Non-flammable. Dries clean.

Item #	Description
269-A	Leak detector, 1 gallon

NOTE: 8 gallon low temp leak detector available upon request.



RegO Product Update – Suppressor Material Change

RegO has recently become aware of reports concerning the suppressor, which is part of the vent screen installed on LV4403TR series first stage regulators, specifically coming from the Midwest region of the USA. They found that the suppressor is curling away from the internal diameter of the vent opening; when this occurs a vibration and noise (hum) can occur when gas is flowing through the regulator.

Based on outside analysis, it was determined that the material currently used for the suppressor can be affected by atmospheric exposure over many years, which affects the ability of the material to remain flat.


RegO identified a replacement suppressor material with a base of chloroprene that, through research and material specifications, shows improved resistance to environmental factors, such as oxidation due to the presence of oxygen and light, and ozone. This improved performance will allow the suppressor disc to remain in place.

Effective 6/17/2020 all RegO first stage regulator vent screen suppressors have incorporated this new material. These new assemblies are also available from RegO Master Distributors (4403-30) for replacement on older dated LV4403TR series that exhibit vibration issues. If this issue arises simply replace the vent screen suppressor with the new assembly which will alleviate the issue.

RegO LV4403 Series Vent Screen Inspection/Replacement

1. Check bonnet cap to confirm it is tight and the vent screen/suppressor is in place and is secure. If the vent screen/suppressor is missing replace it.
2. To inspect the vent screen/suppressor it will need to be removed from the bonnet vent opening. Remove vent screen from the bonnet by inserting a flat blade screwdriver into the vent screen slot on the face of the vent screen. Pry downward, the vent screen/suppressor assembly will then slide out of the vent opening.
3. Inspect the vent screen/suppressor for damage, the suppressor should be in place and flat against the ID of the vent screen as shown below. The vent screen should be uniform with no signs of gashes or damage to the screen.
4. If no problems are found, reinstall the vent screen/suppressor assembly. If problems are found with either the suppressor or vent screen; replace with a new vent screen/suppressor assembly (4403- 30). Simply insert the assembly into the bonnet vent opening making sure it is completely installed and secure.

Please contact your Teeco Representative with any questions.



Rochester's New e-Dial Receives Approvals for Retrofitting

Magnetel E-Dial: First All Digital Electronic Dial for Liquid Level Gauging on Bobtails & Transports



Magnetel Electronic Dial Features:

- Automatic Temperature Compensated Volumetric Level reading of tank contents (Optionally can display non compensated level)
- Temperature readings of tank contents
- Displays Specific Gravity of tank contents
- Two Independent Level Alarms (Programmable by user)
- Wireless setup and remote read capability
- (Optional) Field Calibration of Zero and Span to eliminate installation errors
- UL, ATEX and IECEx approved.
- Can be retrofitted on existing Magnetel Gauges for Bobtails/Transports and Bulk Storage Tanks



Bluetooth

Item # 6317-00001
Magnetel® E-Dial
w/ 15 ft. of module wire

TEECO

PRODUCTS, INC.

Corporate Office
16881 Armstrong Avenue
Irvine, CA 92606

Customer Service Locations

Sacramento, CA
(800) 225-6621
FAX (888) 225-6621

Auburn, WA
(800) 426-9456
FAX (888) 426-9456

Rapid City, SD
(800) 843-8660
FAX (888) 843-8660



Presorted Standard
U.S. Postage
PAID
Newport Beach, CA
Permit No. 373

Order Online, Anytime: www.teecoproducts.com

Inside TEECO

What Is This Product? / Create a Caption



Guess the name or part # of this product - or create a caption - and we'll send you a small thank you gift.

Email your answer to:
mary@teecoproducts.com,
Fax to: 949-474-8663, Attn: Marketing Dept. or
Mail to : TEECO Products, Inc.
Attn: Marketing Dept.
16881 Armstrong Avenue
Irvine, CA 92606

Answer to last "What Is This Product?"

Hand transfer pump. Or, We didn't pay our Power Bill Transfer Pump.

- Ron Johnson, Ferrellgas North Bend, OR

Krug Piston Hand Pump for liquefied petroleum products. Part #315 6 GPM

- Tony Halbur, Raymond Oil Co

Krug Hand Pump used for small liquid transfer applications

- Proflame Propane



Item #315
Krug Piston Hand Pump
Catalog page B20

The Next Generation Teeco Saf-T-Lok The Very Best Protection for the Lowest Possible Cost

Are you losing time and money due to non-paying customers? Take the steps necessary to keep the contents of your tanks secure.

One small, but important investment can greatly reduce your company's exposure to loss.



Next Generation Saf-T-Lok #511
Shown here with RegO 9101R1
(not included)

Securely locks POL service valves • Reduces pilferage •
Increases security • Helps prevent unauthorized hookups •
Simple to use • No padlock required • Works exceptionally
well at Cylinder Exchange locations